Immunology 2004 **112** 685–688

Author index

ADCOCK, I.M. *see* EYNOTT, P.R.
AGGARWAL, R. *see* ROY, S.
AGUILAR-LEÓN, D. *see* GARCÍA-ROMO, G.S.
AHN, W.-S. *see* KIM, T.-G.
AL-SHANTI, N., STEWARD, C.G., GARLAND, R.J. & ROWBOTTOM, A.W. Investigation of alpha nascent polypeptide-associated complex functions in a human $CD8^+$ T cell *ex vivo* expansion model using antisense oligonucleotides, 397
AMANN, K. *see* KRAUTWALD, S.
ANDERSON, D.E. *see* REDDY, J.K.
ANDREWS, N.C. *see* MACEDO, F.M.
DE ARRUDA, L.B., CHIKHLIKAR, P.R., AUGUST, J.T. & MARQUES, E.T.A. DNA vaccine encoding human immunodeficiency virus-1 Gag, targeted to the major histocompatibility complex II compartment by lysosomal-associated membrane protein, elicits enhanced long-term memory response, 126
ASANO, M., TAKENOUCHI-OHKUBO, N., MATSUMOTO, N., OGURA, Y., NOMURA, H., SUGURO, H. & MORO, I. Multiple cleavage sites for polymeric immunoglobulin receptor, 583
AUGER, G.A., SMITH, B.M., PEASE, J.E. & BARKER, M.D. The use of membrane translocating peptides to identify sites of interaction between the C5a receptor and downstream effector proteins, 590
AUGUST, J.T. *see* DE ARRUDA, L.B.
AYUB, K., LAFFAFIAN, I., DEWITT, S. & HALLETT, M.B. Ca^{2+} influx shutdown in neutrophils induced by Fas (CD95) cross-linking, 454

BABIUK, L.A. *see* MANOJ, S.
BAE, S.M. *see* KIM, T.-G.
BALMELLI, C. *see* GUZYLACK-PIRIOU, L.
BANAPOUR, B. *see* REDDY, J.K.
BAOJUN, H. *see* SEN, Y.
BARKER, M.D. *see* AUGER, G.A.
BATONI, G. *see* ESIN, S.
BÄUERLEIN, A. *see* HALLER, D.
BEAGLEY, K.W. *see* SCHAEFER, T.M.
BEAMAN, B.L. *see* ELLIS, T.N.
BELLINGHAUSEN, I., KLOSTERMANN, B., BÖTTCHER, I., KNOP, J. & SALOGA, J. Importance of the inducible costimulator molecule for the induction of allergic immune responses and its decreased expression on T helper cells after venom immunotherapy, 80
BENNETT, B.L. *see* EYNOTT, P.R.
BERTELLI, E. *see* CHAMBERS, S.J.
BESRA, G.S. *see* LANG, G.A.
BEVEC, T. *see* ZAVAŠNIK-BERGANT, V.
BIRKENBACH, M.P. *see* MAASER, C.
BOSE, M. *see* ROY, S.
BOTTAI, D. *see* ESIN, S.
BÖTTCHER, I. *see* BELLINGHAUSEN, I.
BOTTO, M. *see* HUTCHINSON, W.L.
BOWDISH, M.E. *see* MITSUHASHI, N.
BOYLE, L.H., GOODALL, J.C. & GASTON, H.J.S. Major histocompatibility complex class I-restricted alloreactive $CD4^+$ T cells, 54
BRENNAN, F.M. *see* FOEY, A.D.
BRODE, S. & MACARY, P.A. Cross-presentation: dendritic cells and macrophages bite off more than they can chew!, 345
BROMFIELD, J.J. *see* JOHANSSON, M.
BROOKES, R.H. *see* FLETCHER, H.A.
BROWN, G.D. *see* MUKHOPADHYAY, S.
BYBEE, A. *see* GILLMORE, J.D.
BYLUND, J. *see* FU, H.

CAMPA, M. *see* ESIN, S.
CARLOS, M.P. *see* REDDY, J.K.
CHAE, G.-T. *see* KANG, T.J.
CHAMBERS, S.J., BERTELLI, E., WINTERBONE, M.S., REGOLI, M., MAN, A.L. & NICOLETTI, C. Adoptive transfer of dendritic cells from allergic mice induces specific immunoglobulin E antibody in naïve recipients in absence of antigen challenge without altering the T helper 1/T helper 2 balance, 72
CHANG, D.-M., SHYUE, S.-K., LIU, S.-H., CHEN, Y.-T., YEH, C.-Y., LAI, J.-H., LEE, H.-S. & CHEN, A. Dual biological functions of an interleukin-1 receptor antagonist–interleukin-10 fusion protein and its suppressive effects on joint inflammation, 643
CHAVEZ, R. *see* SOLDEVILA, G.
CHEN, A. *see* CHANG, D.-M.
CHEN, Y.-T. *see* CHANG, D.-M.
CHIBA, T. *see* ZHANG, M.
CHIKHLIKAR, P.R. *see* DE ARRUDA, L.B.
CHOI, I.-W. *see* KIM, Y.-S.
CHUNG, F.K. *see* EYNOTT, P.R.
CHUNSONG, H. *see* SEN, Y.
CLEGG, C.H. *see* SIVAKUMAR, P.V.
CONTE, M. *see* GENTILE, F.
CORREIA-NEVES, M. *see* MACEDO, F.M.
CRAMER, D.V. *see* MITSUHASHI, N.
CSERNOK, E. *see* REINERS, K.S.

DAHLGREN, C. *see* FU, H.
DAI, W.J., WALDVOGEL, A., SILES-LUCAS, M. & GOTTSTEIN, B. *Echinococcus multilocularis* proliferation in mice and respective parasite 14-3-3 gene expression is mainly controlled by an $\alpha\beta^+$ $CD4^+$ T-cell-mediated immune response, 481
DALGLEISH, A.G. *see* VYAKARNAM, A.
DE SOUSA, M. *see* MACEDO, F.M.
DEAN, G. *see* VORDERMEIER, M.H.
DEJONGHE, D. *see* TANG, X.
DESOUZA, K. *see* SCHAEFER, T.M.
DEWITT, S. *see* AYUB, K.
DOHERTY, M.T. *see* FLETCHER, H.A.
DRAYSON, M.T. *see* SOMERSET, D.A.
DU, J. *see* YOKOYAMA, T.
DYUGOVSKAYA, L. *see* HIRSH, M.

EASTERBROOK, P.J. *see* VYAKARNAM, A.
EBERL, M., JOMAA, H. & HAYDAY, A.C. Integrated immune responses to infection – cross-talk between human $\gamma\delta$ T cells and dendritic cells, 364
ECKMANN, L. *see* MAASER, C.
EGAN, L.J. *see* MAASER, C.
ELLIS, T.N. & BEAMAN, B.L. Interferon-γ activation of polymorphonuclear neutrophil function, 2
ENGERT, A. *see* REINERS, K.S.
ESIN, S., BATONI, G., PARDINI, M., FAVILLI, F., BOTTAI, D., MAISETTA, G., FLORIO, W., VANACORE, R., WIGZELL, H. & CAMPA, M. Functional characterization of human natural killer cells responding to *Mycobacterium bovis* bacille Calmette-Guérin, 143
ESTRADA-GARCÍA, I. *see* GARCÍA-ROMO, G.S.
EYNOTT, P.R., XU, L., BENNETT, B.L., NOBLE, A., LEUNG, S.-Y., NATH, P., GRONEBERG, D.A., ADCOCK, I.M. & CHUNG, F.K. Effect of an inhibitor of Jun N-terminal protein kinase, SP600125, in single allergen challenge in sensitized rats, 446

FAHEY, J.V. *see* SCHAEFER, T.M.
FAVILLI, F. *see* ESIN, S.
FERNÁNDEZ, A.G. *see* LINDROTH, K.
FERNÁNDEZ, C. *see* LINDROTH, K.
FETTERLY, B. *see* SOKOLOFF, A.V.
FISCHER-LOUGHEED, J. *see* MITSUHASHI, N.
FLETCHER, H.A., OWIAFE, P., JEFFRIES, D., HILL, P., ROOK, G.A.W., ZUMLA, A., DOHERTY, M.T., BROOKES, R.H. & THE VACSEL Study Group. Increased expression of mRNA encoding interleukin (IL)-4 and its splice variant IL-4δ2 in cells from contacts of *Mycobacterium tuberculosis*, in the absence of *in vitro* stimulation, 669
FLORES-ROMO, L. *see* GARCÍA-ROMO, G.S.
FLORIO, W. *see* ESIN, S.
FOEY, A.D. & BRENNAN, F.M. Conventional protein kinase C and atypical protein kinase Cζ differentially regulate macrophage production of tumour necrosis factor-α and interleukin-10, 44
FORMISANO, S. *see* GENTILE, F.
FÖRSTER, R. *see* KRAUTWALD, S.
FOSTER, D.C. *see* SIVAKUMAR, P.V.
FRIEDRICH, K. *see* MYRTEK, D.
FU, H., BYLUND, J., KARLSSON, A., PELLMÉ, S. & DAHLGREN, C. The mechanism for activation of the neutrophil NADPH-oxidase by the peptides formyl-Met-Leu-Phe and Trp-Lys-Tyr-Met-Val-Met differs from that for interleukin-8, 201
FUJIMOTO, J. *see* TAGUCHI, T.
FURUE, M. *see* ZHANG, M.

GARCÍA-ROMO, G.S., PEDROZA-GONZÁLEZ, A., AGUILAR-LEÓN, D., OROZCO-ESTEVEZ, H., LAMBRECHT, B.N., ESTRADA-GARCIA, I., FLORES-ROMO, L. & HERNÁNDEZ-PANDO, R. Airways infection with virulent *Mycobacterium tuberculosis* delays the influx of dendritic cells and the expression of costimulatory molecules in mediastinal lymph nodes, 661
GARCÍA-ZEPEDA, E. *see* SOLDEVILA, G.
GARLAND, R.J. *see* AL-SHANTI, N.
GARSIDE, P. *see* KOBETS, N.
GASTON, H.J.S. *see* BOYLE, L.H.

© 2004 Blackwell Publishing Ltd

GENTILE, F., CONTE, M. & FORMISANO, S. Thyroglobulin as an autoantigen: what can we learn about immunopathogenicity from the correlation of antigenic properties with protein structure?, 13
GHOSH, S.K. *see* LIM, S.-Y.
GIACHINO, C. *see* PERFETTI, V.
GILBERT, S.C. *see* VORDERMEIER, M.H.
GILLMORE, J.D., HUTCHINSON, W.L., HERBERT, J., BYBEE, A., MITCHELL, D.A., HASSERJIAN, R.P., YAMAMURA, K.-I., SUZUKI, M., SABIN, C.A. & PEPYS, M.B. Autoimmunity and glomerulonephritis in mice with targeted deletion of the serum amyloid P component gene: SAP deficiency or strain combination?, 255
GOLOUH, R. *see* ZAVAŠNIK-BERGANT, V.
GOODALL, J.C. *see* BOYLE, L.H.
GOONETILLEKE, N. *see* VORDERMEIER, M.H.
GORDON, S. *see* MUKHOPADHYAY, S.
GOTTSTEIN, B. *see* DAI, W.J.
GRIEBEL, P.J. *see* MANOJ, S.
GRONEBERG, D.A. *see* EYNOTT, P.R.
GROSS, W.L. *see* REINERS, K.S.
GUZYLACK-PIRIOU, L., BALMELLI, C., MCCULLOUGH, K.C. & SUMMERFIELD, A. Type-A CpG oligonucleotides activate exclusively porcine natural interferon-producing cells to secrete interferon-α, tumour necrosis factor-α and interleukin-12, 28

HALLER, D., HOLT, L., PARLESAK, A., ZANGA, J., BÄUERLEIN, A., SARTOR, R.B. & JOBIN, C. Differential effect of immune cells on non-pathogenic Gram-negative bacteria-induced nuclear factor-κB activation and pro-inflammatory gene expression in intestinal epithelial cells, 310
HALLETT, M.B. *see* AYUB, K.
HANSEN, H.P. *see* REINERS, K.S.
HANSEN, K.K., SAIFEDDINE, M. & HOLLENBERG, M.D. Tethered ligand-derived peptides of proteinase-activated receptor 3 (PAR_3) activate PAR_1 and PAR_2 in Jurkat T cells, 183
HARNISCH, B. *see* INCE, N.M.
HASSERJIAN, R.P. *see* GILLMORE, J.D.
HAYASHI, H. *see* YOSHINO, S.
HAYDAY, A.C. *see* EBERL, M.
HERBERT, J. *see* GILLMORE, J.D.
HERBERT, J. *see* HUTCHINSON, W.L.
HERNANDEZ-PANDO, R. *see* GARCÍA-ROMO, G.S.
HERRE, J. *see* MUKHOPADHYAY, S.
HERRMANN, T. *see* KUNZMANN, V.
HEWINSON, R.G. *see* VORDERMEIER, M.H.
HILL, A.B. *see* MUNKS, M.W.
HILL, A.V.S. *see* VORDERMEIER, M.H.
HILL, P. *see* FLETCHER, H.A.
HIMENO, K. *see* ZHANG, M.
HIROMATSU, K. *see* SAKAMOTO, Y.
HIRSH, M., DYUGOVSKAYA, L., KAPLAN, V. & KRAUSZ, M.M. Response of lung γδ T cells to experimental sepsis in mice, 153
HISAEDA, H. *see* ZHANG, M.
HOCHREIN, H. & WAGNER, H. Of men, mice and pigs: looking at their plasmacytoid dentritic cells, 26
HODGKIN, P.D. *see* TANGYE, S.G.
HOLLENBERG, M.D. *see* HANSEN, K.K.
HOLT, L. *see* HALLER, D.
HUTCHINSON, W.L., HERBERT, J., BOTTO, M. & PEPYS, M.B. Classical and alternative pathway complement activation are not required for reactive systemic AA amyloid deposition in mice, 250
HUTCHINSON, W.L. *see* GILLMORE, J.D.
HUYGEN, K. *see* VORDERMEIER, M.H.

IDZKO, M. *see* MYRTEK, D.
IKEDA, T. *see* SAKAMOTO, Y.
INCE, N.M., HARNISCH, B., XU, Z., LEE, S.-K., LANGE, C., MORETTA, L., LEDERMAN, M. & LIEBERMAN, J. Increased expression of the natural killer cell inhibitory receptor CD85j/ILT2 on antigen-specific effector CD8 T cells and its impact on CD8 T-cell function, 531
INAGAKI-OHARA, K. *see* SAKAMOTO, Y.
ISHII, K. *see* ZHANG, M.
ISHIKAWA, F. *see* TORIHATA, H.
ISHIWATA, K. *see* SAKAMOTO, Y.
IVETIC, A. & RIDLEY, A.J. Ezrin/radixin/moesin proteins and Rho GTPase signalling in leucocytes, 165

JARMAN, E.R. & LAMB, J.R. Reversal of established $CD4^+$ type 2 T helper-mediated allergic airway inflammation and eosinophilia by therapeutic treatment with DNA vaccines limits progression towards chronic inflammation and remodelling, 631
JASPER, M.J. *see* JOHANSSON, M.
JEFFRIES, D. *see* FLETCHER, H.A.
JIN, Y.-S. *see* MITSUHASHI, N.
JINQUAN, T. *see* SEN, Y.
JIRIK, F.R. *see* MOODY, J.L.
JOBIN, C. *see* HALLER, D.
JOHANSSON, M., BROMFIELD, J.J., JASPER, M.J. & ROBERTSON, S.A. Semen activates the female immune response during early pregnancy in mice, 290
JOHNSON, B.D. *see* YAN, X.
JOMAA, H. *see* EBERL, M.
JUNYAN, L. *see* SEN, Y.

KAGNOFF, M.F. *see* MAASER, C.
KAKIUCHI, T. *see* TORIHATA, H.
KANG, J. *see* KHAN, M.A.S.
KANG, T.J., YEUM, C.E., KIM, B.C., YOU, E.-Y. & CHAE, G.-T. Differential production of interleukin-10 and interleukin-12 in mononuclear cells from leprosy patients with a Toll-like receptor 2 mutation, 674
KAPLAN, V. *see* HIRSH, M.
KARASUYAMA, H. *see* TAGUCHI, T.
KARLSSON, A. *see* FU, H.
KATAGIRI, Y.U. *see* TAGUCHI, T.
KAWAMOTO, Y. *see* YOKOYAMA, T.
KEARNS-JONKER, M. *see* MITSUHASHI, N.
KENNEDY, K. *see* KOBETS, N.
KHAN, M.A.S., KANG, J. & STEINER, T.S. Enteroaggregative *Escherichia coli* flagellin-induced interleukin-8 secretion requires Toll-like receptor 5-dependent p38 MAP kinase activation, 651
KILBY, M.D. *see* SOMERSET, D.A.
KIM, B.C. *see* KANG, T.J.
KIM, C.-H. *see* KIM, T.-G.
KIM, D.-K. *see* KIM, Y.-S.
KIM, T.-G., KIM, C.-H., WON, E.H., BAE, S.M., AHN, W.-S., PARK, J.-B. & SIN, J.-I. CpG-ODN-stimulated dendritic cells act as a potent adjuvant for E7 protein delivery to induce antigen-specific antitumour immunity in a HPV 16 E7-associated animal tumour model, 117
KIM, Y.-S., KWON, K.-S., KIM, D.-K., CHOI, I.-W. & LEE, H.-K. Inhibition of murine allergic airway disease by *Bordetella pertussis*, 624
KIYOKAWA, N. *see* TAGUCHI, T.
KLOSTERMANN, B. *see* BELLINGHAUSEN, I.
KNOLL, M. *see* MYRTEK, D.
KNOP, J. *see* BELLINGHAUSEN, I.
KOBETS, N., KENNEDY, K., O'DONNELL, D. & GARSIDE, P. An investigation of the ability of orally primed and tolerised T cells to help B cells upon mucosal challenge, 550
KOS, J. *see* ZAVAŠNIK-BERGANT, V.
KRAUSE, S. *see* MYRTEK, D.
KRAUSZ, M.M. *see* HIRSH, M.
KRAUTWALD, S., ZIEGLER, E., FÖRSTER, R., OHL, L., AMANN, K. & KUNZENDORF, U. Ectopic expression of CCL19 impairs alloimmune response in mice, 301
KRETZSCHMAR, E. *see* KUNZMANN, V.
KRÜSSMANN, A. *see* REINERS, K.S.
KUNZENDORF, U. *see* KRAUTWALD, S.
KUNZMANN, V., KRETZSCHMAR, E., HERRMANN, T. & WILHELM, M. Polyinosinic-polycytidylic acid-mediated stimulation of human γδ T cells via $CD11c^+$ dendritic cell-derived type I interferons, 369
KWON, K.-S. *see* KIM, Y.-S.

LAFFAFIAN, I. *see* AYUB, K.
LAI, J.-H. *see* CHANG, D.-M.
LAKE, D.F. *see* TANG, X.
LAMB, J.R. *see* JARMAN, E.R.
LAMBRECHT, B.N. *see* GARCÍA-ROMO, G.S.
LANG, G.A., MALTSEV, S.D., BESRA, G.S. & LANG, M.L. Presentation of α-galactosylceramide by murine CD1d to natural killer T cells is facilitated by plasma membrane glycolipid rafts, 386
LANG, M.L. *see* LANG, G.A.
LANGE, C. *see* INCE, N.M.
LEDERMAN, M. *see* INCE, N.M.
LEE, H.-K. *see* KIM, Y.-S.
LEE, H.-S. *see* CHANG, D.-M.
LEE, S.H. *see* REDDY, J.K.
LEE, S.-K. *see* INCE, N.M.
LEUNG, S.-Y. *see* EYNOTT, P.R.
LI, X. *see* YOSHINO, S.
LI, Y. *see* ZHANG, M.
LICONA, I. *see* SOLDEVILA, G.
LIEBERMAN, J. *see* INCE, N.M.
LIM, S.-Y. & GHOSH, S.K. Autoreactive responses to an environmental factor. 2. Phthalate-induced anti-DNA specificity is downregulated by autoreactive cytotoxic T cells, 94
LINDROTH, K., MASTACHE, E.F., ROOS, I., FERNÁNDEZ, Å.G. & FERNÁNDEZ, C. Understanding thymus-independent antigen-induced reduction of thymus-dependent immune responses, 413
LINJIE, Z. *see* SEN, Y.
LIU, S.-H. *see* CHANG, D.-M.
LOHRMANN, J. *see* MYRTEK, D.

LUDTKE, J.J. *see* SOKOLOFF, A.V.
LUTTMANN, W. *see* MYRTEK, D.

MAASER, C., EGAN, L.J., BIRKENBACH, M.P., ECKMANN, L. & KAGNOFF, M.F. Expression of Epstein–Barr virus-induced gene 3 and other interleukin-12-related molecules by human intestinal epithelium, 437
MACARY, P.A. *see* BRODE, S.
MACEDO, F.M., DE SOUSA, M., NED, R.M., MASCARENHAS, C., ANDREWS, N.C. & CORREIA-NEVES, M. Transferrin is required for early T-cell differentiation, 543
MAISETTA, G. *see* ESIN, S.
MALTSEV, S.D. *see* LANG, G.A.
MAN, A.L. *see* CHAMBERS, S.J.
MANOJ, S., GRIEBEL, P.J., BABIUK, L.A. & VAN DRUNEN LITTEL-VAN DEN HURK, S. Modulation of immune responses to bovine herpesvirus-1 in cattle by immunization with a DNA vaccine encoding glycoprotein D as a fusion protein with bovine CD154, 328
MARQUES, E.T.A. *see* DE ARRUDA, L.B.
MARQUEZ, J.P. *see* REDDY, J.K.
MASCARENHAS, C. *see* MACEDO, F.M.
MASTACHE, E.F. *see* LINDROTH, K.
MATSUI, J. *see* TAGUCHI, T.
MATSUMOTO, N. *see* ASANO, M.
MATSUO, Y. *see* TAGUCHI, T.
MATTHIESEN, T. *see* MYRTEK, D.
MCCULLOUGH, K.C. *see* GUZYLACK-PIRIOU, L.
MELAMED, D. *see* SEAGAL, J.
MENCEL, R. *see* MITSUHASHI, N.
MERLINI, G. *see* PERFETTI, V.
MITCHELL, D.A. *see* GILLMORE, J.D.
MITSUHASHI, N., KEARNS-JONKER, M., WU, G.D., BOWDISH, M.E., JIN, Y.-S., MENCEL, R., ZAHORSKY-REEVES, J., FISCHER-LOUGHEED, J., WEINBERG, K.I., STARNES, V.A. & CRAMER, D.V. Identification, functional analysis and expression in a heterotopic heart transplant model of CXCL9 in the rat, 87
MITTLER, R.S. *see* MUNKS, M.W.
MOODY, J.L. & JIRIK, F.R. Compound heterozygosity for *Pten* and *SHIP* augments T-dependent humoral immune responses and cytokine production by $CD4^+$ T cells, 404
MORETTA, L. *see* INCE, N.M.
MORI, Y. *see* YOSHINO, S.
MORO, I. *see* ASANO, M.
MOURICH, D.V. *see* MUNKS, M.W.
MUKHOPADHYAY, S., HERRE, J., BROWN, G.D. & GORDON, S. The potential for Toll-like receptors to collaborate with other innate immune receptors, 521
MUNKS, M.W., MOURICH, D.V., MITTLER, R.S., WEINBERG, A.D. & HILL, A.B. 4-1BB and OX40 stimulation enhance CD8 and CD4 T-cell responses to a DNA prime, poxvirus boost vaccine, 559
MURAD, S. *see* VYAKARNAM, A.
MURATA, S. *see* ZHANG, M.
MYRTEK, D., KNOLL, M., MATTHIESEN, T., KRAUSE, S., LOHRMANN, J., SCHILLINGER, D., IDZKO, M., VIRCHOW, C.J., FRIEDRICH, K. & LUTTMANN, W. Expression of interleukin-13 receptor α 1-subunit on peripheral blood eosinophils is regulated by cytokines, 597

NAKAJIMA, H. *see* TAGUCHI, T.
NAKAMURA-UCHIYAMA, F. *see* SAKAMOTO, Y.
NAKASHIMA, I. *see* YOKOYAMA, T.
NATH, P. *see* EYNOTT, P.R.
NAVAZZA, V. *see* PERFETTI, V.
NAWA, Y. *see* SAKAMOTO, Y.
NED, R.M. *see* MACEDO, F.M.
NICOLETTI, C. *see* CHAMBERS, S.J.
NISHIKAWA, M. *see* SHAKUSHIRO, K.
NOBLE, A. *see* EYNOTT, P.R.
NOMURA, H. *see* ASANO, M.
NORDENSSON, K. *see* TANG, X.

O'DONNELL, D. *see* KOBETS, N.
OBATA, C. *see* ZHANG, M.
OGURA, Y. *see* ASANO, M.
OHL, L. *see* KRAUTWALD, S.
OKADA, Y. *see* TORIHATA, H.
OKITA, H. *see* TAGUCHI, T.
ONO, S.J. Professor J. Wayne Streilein, 1935–2004, 339
ORENTAS, R.J. *see* YAN, X.
OROZCO-ESTEVEZ, H. *see* GARCÍA-ROMO, G.S.
OWIAFE, P. *see* FLETCHER, H.A.

PALLADINI, G. *see* PERFETTI, V.
PARDINI, M. *see* ESIN, S.
PARK, J.-B. *see* KIM, T.-G.
PARLESAK, A. *see* HALLER, D.
PEAKMAN, M. *see* VYAKARNAM, A.
PEASE, J.E. *see* AUGER, G.A.
PEDROZA-GONZÁLEZ, A. *see* GARCÍA-ROMO, G.S.
PELLME, S. *see* FU, H.
PEPYS, M.B. *see* GILLMORE, J.D.
PEPYS, M.B. *see* HUTCHINSON, W.L.
PERFETTI, V., VIGNARELLI, M.C., PALLADINI, G., NAVAZZA, V., GIACHINO, C. & MERLINI, G. Insights into the regulation of immunoglobulin light chain gene rearrangements via analysis of the κ light chain locus in λ myeloma, 420
PUCKETT, M. *see* SOKOLOFF, A.V.

QIUPING, Z. *see* SEN, Y.
QUN, L. *see* SEN, Y.

RAMÍREZ, M. *see* SOLDEVILA, G.
REDDY, J.K., BANAPOUR, B., ANDERSON, D.E., LEE, S.H., MARQUEZ, J.P., CARLOS, M.P. & TORRES, J.V. Induction of immune responses against human papillomaviruses by hypervariable epitope constructs, 321
REGOLI, M. *see* CHAMBERS, S.J.
REINERS, K.S., HANSEN, H.P., KRÜSSMANN, A., SCHÖN, G., CSERNOK, E., GROSS, W.L., ENGERT, A. & VON STRANDMANN, E.P. Selective killing of B-cell hybridomas targeting proteinase 3, Wegener's autoantigen, 228
RHODES, S.G. *see* VORDERMEIER, M.H.
RICHARD, J. *see* TANG, X.
RIDLEY, A.J. *see* IVETIC, A.
ROBERTSON, S.A. *see* JOHANSSON, M.
ROMAGNANI, S. The increased prevalence of allergy and the hygiene hypothesis: missing immune deviation, reduced immune suppression, or both?, 352
ROOK, G.A.W. *see* FLETCHER, H.A.
ROOS, I. *see* LINDROTH, K.
ROWBOTTOM, A.W. *see* AL-SHANTI, N.
ROY, S., SHARMA, S., SHARMA, M., AGGARWAL, R. & BOSE, M. Induction of nitric oxide release from the human alveolar epithelial cell line A549: an *in vitro* correlate of innate immune response to *Mycobacterium tuberculosis*, 471

SABIN, C.A. *see* GILLMORE, J.D.
SAI, T. *see* YOSHINO, S.
SAIFEDDINE, M. *see* HANSEN, K.K.
SAITO, M. *see* TAGUCHI, T.
SAKAMOTO, Y., HIROMATSU, K., ISHIWATA, K., INAGAKI-OHARA, K., IKEDA, T., NAKAMURA-UCHIYAMA, F. & NAWA, Y. Chronic intestinal nematode infection induces Stat6-independent interleukin-5 production and causes eosinophilic inflammatory responses in mice, 615
SALGADO, A. *see* SOLDEVILA, G.
SALOGA, J. *see* BELLINGHAUSEN, I.
SAN, J. *see* SEN, Y.
SANSOM, D.M. *see* SOMERSET, D.A.
SARTOR, R.B. *see* HALLER, D.
SCHAEFER, T.M., DESOUZA, K., FAHEY, J.V., BEAGLEY, K.W. & WIRA, C.R. Toll-like receptor (TLR) expression and TLR-mediated cytokine/chemokine production by human uterine epithelial cells, 428
SCHILLINGER, D. *see* MYRTEK, D.
SCHÖN, G. *see* REINERS, K.S.
SCHWEIGER, A. *see* ZAVAŠNIK-BERGANT, V.
SEAGAL, J. & MELAMED, D. Contribution of $\alpha\beta$ and $\gamma\delta$T cells to the generation of primary immunoglobulin G-driven autoimmune response in immunoglobulin-μ-deficient/lpr mice, 265
SEN, Y., CHUNSONG, H., BAOJUN, H., LINJIE, Z., QUN, L., SAN, J., QIUPING, Z., JUNYAN, L., ZHANG, X. & JINQUAN, T. Aberration of $CCR7^+$ $CD8^+$ memory T cells from patients with systemic lupus erythematosus: an inducer of T helper type 2 bias of $CD4^+$ T cells, 274
SHAKUSHIRO, K., YAMASAKI, Y., NISHIKAWA, M. & TAKAKURA, Y. Efficient scavenger receptor-mediated uptake and cross-presentation of negatively charged soluble antigens by dendritic cells, 211
SHARMA, M. *see* ROY, S.
SHARMA, S. *see* ROY, S.
SHIOZAWA, Y. *see* TAGUCHI, T.
SHYUE, S.-K. *see* CHANG, D.-M.
SIDEBOTTOM, D. *see* VYAKARNAM, A.
SILES-LUCAS, M. *see* DAI, W.J.
SIN, J.-I. *see* KIM, T.-G.
SIVAKUMAR, P.V., FOSTER, D.C. & CLEGG, C.H. Interleukin-21 is a T-helper cytokine that regulates humoral immunity and cell-mediated anti-tumour responses, 177
SMITH, B.M. *see* AUGER, G.A.

SOKOLOFF, A.V., PUCKETT, M., LUDTKE, J.J. & FETTERLY, B. Sequence-specific binding of normal serum immunoglobulin M to exposed protein C-termini, 237
SOLDEVILA, G., LICONA, I., SALGADO, A., RAMÍREZ, M., CHÁVEZ, R. & GARCÍA-ZEPEDA, E. Impaired chemokine-induced migration during T-cell development in the absence of Jak 3, 191
SOMERSET, D.A., ZHENG, Y., KILBY, M.D., SANSOM, D.M. & DRAYSON, M.T. Normal human pregnancy is associated with an elevation in the immune suppressive $CD25^+CD4^+$ regulatory T-cell subset, 38
STARNES, V.A. *see* MITSUHASHI, N.
STEINER, T.S. *see* KHAN, M.A.S.
STENFELDT, A.-L. & WENNERÅS, C. Danger signals derived from stressed and necrotic epithelial cells activate human eosinophils, 605
STEWARD, C.G. *see* AL-SHANTI, N.
SUGURO, H. *see* ASANO, M.
SUGURO, T. *see* TORIHATA, H.
SUMMERFIELD, A. *see* GUZYLACK-PIRIOU, L.
SUZUKI, H. *see* YOKOYAMA, T.
SUZUKI, K. *see* TAGUCHI, T.
SUZUKI, M. *see* GILLMORE, J.D.

TAGUCHI, T., KIYOKAWA, N., TAKENOUCH, H., MATSUI, J., TANG, W.-R., NAKAJIMA, H., SUZUKI, K., SHIOZAWA, Y., SAITO, M., KATAGIRI, Y.U., TAKAHASHI, T., KARASUYAMA, H., MATSUO, Y., OKITA, H. & FUJIMOTO, J. Deficiency of BLNK hampers PLC-γ2 phosphorylation and Ca^{2+} influx induced by the pre-B-cell receptor in human pre-B cells, 575
TAKAHASHI, T. *see* TAGUCHI, T.
TAKAKURA, Y. *see* SHAKUSHIRO, K.
TAKANO, H. *see* YOSHINO, S.
TAKENOUCH, H. *see* TAGUCHI, T.
TAKENOUCHI-OHKUBO, N. *see* ASANO, M.
TANAKA, K. *see* ZHANG, M.
TANAKA, Y. *see* TORIHATA, H.
TANEDA, S. *see* YOSHINO, S.
TANG, W.-R. *see* TAGUCHI, T.
TANG, X., YOCUM, D.E., DEJONGHE, D., NORDENSSON, K., LAKE, D.F. & RICHARD, J. Increased activation-induced cell death in peripheral lymphocytes of rheumatoid arthritis patients: the mechanism of action, 496
TANGYE, S.G. & HODGKIN, P.D. Divide and conquer: the importance of cell division in regulating B-cell responses, 509
TORIHATA, H., ISHIKAWA, F., OKADA, Y., TANAKA, Y., UCHIDA, T., SUGURO, T. & KAKIUCHI, T. Irradiation up-regulates CD80 expression through two different mechanisms in spleen B cells, B lymphoma cells, and dendritic cells, 219
TORRES, J.V. *see* REDDY, J.K.
TURK, V. *see* ZAVAŠNIK-BERGANT, V.

UCHIDA, T. *see* TORIHATA, H.
UNDERHILL, J.A. *see* VYAKARNAM, A.

VAN DRUNEN LITTEL-VAN DEN HURK, S. *see* MANOJ, S.
VANACORE, R. *see* ESIN, S.
VIGNARELLI, M.C. *see* PERFETTI, V.
VIRCHOW, C.J. *see* MYRTEK, D.
VON STRANDMANN, E.P. *see* REINERS, K.S.
VORDERMEIER, M.H., RHODES, S.G., DEAN, G., GOONETILLEKE, N., HUYGEN, K., HILL, A.V.S., HEWINSON, R.G. & GILBERT, S.C. Cellular immune responses induced in cattle by heterologous prime–boost vaccination using recombinant viruses and bacille Calmette–Guérin, 461
VYAKARNAM, A., SIDEBOTTOM, D., MURAD, S., UNDERHILL, J.A., EASTERBROOK, P.J., DALGLEISH, A.G. & PEAKMAN, M. Possession of human leucocyte antigen DQ6 alleles and the rate of CD4 T-cell decline in human immunodeficiency virus-1 infection, 136

WAGNER, H. *see* HOCHREIN, H.
WALDVOGEL, A. *see* DAI, W.J.
WEINBERG, A.D. *see* MUNKS, M.W.
WEINBERG, K.I. *see* MITSUHASHI, N.
WENNERÅS, C. *see* STENFELDT, A.-L.
WIGZELL, H. *see* ESIN, S.
WILHELM, M. *see* KUNZMANN, V.
WINTERBONE, M.S. *see* CHAMBERS, S.J.
WIRA, C.R. *see* SCHAEFER, T.M.
WON, E.H. *see* KIM, T.-G.
WU, G.D. *see* MITSUHASHI, N.

XU, L. *see* EYNOTT, P.R.
XU, Z. *see* INCE, N.M.

YAMAKI, K. *see* YOSHINO, S.
YAMAMURA, K.-I. *see* GILLMORE, J.D.
YAMASAKI, Y. *see* SHAKUSHIRO, K.
YAN, X., JOHNSON, B.D. & ORENTAS, R.J. Murine CD8 lymphocyte expansion *in vitro* by artificial antigen-presenting cells expressing CD137L (4-1BBL) is superior to CD28, and CD137L expressed on neuroblastoma expands CD8 tumour-reactive effector cells *in vivo*, 105
YANAGISAWA, R. *see* YOSHINO, S.
YEH, C.-Y. *see* CHANG, D.-M.
YEUM, C.E. *see* KANG, T.J.
YOCUM, D.E. *see* TANG, X.
YOKOYAMA, T., DU, J., KAWAMOTO, Y., SUZUKI, H. & NAKASHIMA, I. Inhibition of Fas-mediated apoptotic cell death of murine T lymphocytes in a mouse model of immunosenescence in linkage to deterioration in cell membrane raft function, 64
YOSHINO, S., YAMAKI, K., LI, X., SAI, T., YANAGISAWA, R., TAKANO, H., TANEDA, S., HAYASHI, H. & MORI, Y. Prenatal exposure to bisphenol A up-regulates immune responses, including T helper 1 and T helper 2 responses, in mice, 489
YOU, E.-Y. *see* KANG, T.J.

ZAHORSKY-REEVES, J. *see* MITSUHASHI, N.
ZANGA, J. *see* HALLER, D.
ZAVAŠNIK-BERGANT, V., SCHWEIGER, A., BEVEC, T., GOLOUH, R., TURK, V. & KOS, J. Inhibitory p41 isoform of invariant chain and its potential target enzymes cathepsins L and H in distinct populations of macrophages in human lymph nodes, 378
ZHANG, M., ISHII, K., HISAEDA, H., MURATA, S., CHIBA, T., TANAKA, K., LI, Y., OBATA, C., FURUE, M. & HIMENO, K. Ubiquitin-fusion degradation pathway plays an indispensable role in naked DNA vaccination with a chimeric gene encoding a syngeneic cytotoxic T lymphocyte epitope of melanocyte and green fluorescent protein, 567
ZHANG, X. *see* SEN, Y.
ZHENG, Y. *see* SOMERSET, D.A.
ZIEGLER, E. *see* KRAUTWALD, S.
ZUMLA, A. *see* FLETCHER, H.A.

Immunology 2004 **112** 689–690

Subject index

A549, 471
α NAC, 397
activation, 2
adhesion molecules, 165
adjuvants: CpG DNA, 28
adoptive transfer, 72
affinity maturation/somatic hypermutation, 413
α-galactosylceramide, 386
allergy, 80, 624, 631
amyloidosis, 250
anergy: suppression, tolerance, 38
angiogenin, 228
animal models, 153, 624
  in vivo, 631
  studies, 28
antibody
  repertoire, 265
  responses, 413, 509
antigen
  presentation, 54, 328, 378, 386
  processing, 345
antisense oligonucleotides, 397
anti-tumour responses, 177
apoptosis: anti-Fas Ab, Fas, 64
asthma, 597
asthma: bronchial hyperresponsiveness, inflammation, 446
autoantibodies, 13
autoantibody, 228
autoimmune thyroid disease, 13
autoimmunity, 255, 265, 404
  rheumatoid arthritis, human, 496
  B cells, anti-DNA
  antibodies, 1
  antibodies, autoreactive CTLs, 94
  Wegener's granulomatosis, 228
autoreactive CTLs, 1

B cells, 413, 509, 550, 575
B irradiated, LPS-stimulated, 219
bacteria: *Mycobacterium bovis*, 461
bacterial infection, 651
B-cell
  development, 265
  receptor, 575
BCG, 143
BHK, 583
BHV-1, 328
bisphenol A, 489
bovine CD154, 328

calcium, PARs, tyrosine phosphorylation, 183
cancer vaccines, 105
cathepsin
  H, 378
  L, 378
cattle, 461
CD8, 531
CD80: up-regulation, 219
$CD8^+$ T cell, 397
$CD4^+$ T cells, 54
cell
  division, 509
  membrane: CTx-binding raft elements, Lck, 64
  polarity, 165
cell-deficient mice, 481
cell-mediated
  immune response, 481
  immunity, 177
cells, 496
chemokine, 191, 428
  receptors: CCR7, 274
chemokines, 301, 651
  monokines, 87
chemotaxis, 87, 605
class switch recombination, 265
cleavage, 583
cobra venom, 250
complement, 250, 590
  receptor, C5a, 590
costimulation, 80
  co-stimulatory molecules, 105
CpG-oligodeoxynucleotide, 117
cross-presentation, 345
CTL, 531
cytokine, 428, 489
cytokines, 44, 153, 404, 643, 674
  IL-5, 615
  interleukins, 2, 143, 290
cytoskeleton, 201
cytotoxic T cells (CTL), 105
cytotoxicity, 143

danger signal, 605
dendritic:
  cell, 72, 345, 369
  cells, 80, 117
  cells *in vivo*, 661
  cells: cross-presentation, MHC class I presentation, scavenger receptors, 211
DNA
  vaccine, 567
  vaccines, 328

Echinococcus multilocularis, 481
enzymes:
  Jun N-terminal kinase, 446
  proteases, proteinases, 183
eosinophil, 605
eosinophils: blood, intestinal, recruitment/activation, 615
epithelial, 428
  cells, 471
epitopes, 13
Epstein–Barr virus-induced gene-3, 437
ESAT-6, 669
exogenous antigen, 345
experimental autoimmune thyroiditis, 13

Fas/Fas-ligand, 265
fetal exposure, 489
food allergy, 72
fusion
  protein, 228
  proteins, 643

γδ
  T cell, 369
  T cells, 153
gene expression, 310
GFP, 567
glomerulonephritis, 255
glycoprotein, 328
GPCR, 201
gram negative bacteria, 310
  Bacteroides vulgatus, enteric, *Escherichia coli*, non pathogenic, 310

HIV, 531
HIV-1: disease progression, 136
HLA Class II: genes, haplotypes, polymorphisms, 136
human
  papilloma virus (HPV): peptides, structural proteins, virus-like particles (VLP), 321
  papillomavirus, 117
  studies, 54
humans, 26
humoral immunity, 177
hygiene hypothesis, 352

Ig secretion, 509
IgE, 72
IgM, 237
IL-10, 643
IL-4, 669
IL-482, 669
IL-13 receptor, 597
IL-1, IL-10, IFN-γ, anti-inflammatory, 643
IL-12p35, 437
IL-1ra–IL-10, biological function, 643
IL-12-related molecules, 437
immune
  deviation, 352
  suppression, 352
immunological memory: T-cell memory, 126

© 2004 Blackwell Publishing Ltd

immunosenescence: T cells, 64
immunotherapy, 80, 631
inflammation, 44, 605, 651
inflammatory bowel disease: intestinal epithelial cells, 310
inhibitors: SP600125, 446
innate
  immune response, 471
  immunity, 521
interferon-γ, 531
interleukin-21, 177
interleukin-2 family, 177
interleukin-1 receptor antagonist (IL-1ra), 643
intestinal
  epithelial cells, 437
  epithelial cells: HT-29/MTX cells, gene expression, 310
  inflammation: Crohn's disease, ulcerative colitis, 310
  nematodes: *Nippostrongylus brasiliensis*, chronic infections, 615
  xenograft, 437
iron, 543
isotype exclusion, 420
isotypes/isotype switching, 413

Janus kinases, 191

knockout, 250

leprosy, 674
lipid mediators, 404
lung inflammation, 153
lymph
  node, 378
  nodes, 301
lymphocyte differentiation, 509
lymphocytes: autoreactive, T cells, $CD14^+$, 496

macrophages, 44
mCD1d, 386
mediastinal lymph nodes, 661
Melanoma, 567
MHC
  class I, 54, 345
  II: trafficking, 126
mice, 26
migration: traffic, 301
mononuclear cells, 674
mouse, 250
  models: PKCα transgenic mice, 64
  models: Stat6 deficient, 615
mucosal
  immune response, 550
  immunity, 290
mutation, 674
Mycobacterium tuberculosis, 471
myeloma, 420

natural
  antibodies, 237
  killer cells (NK cells), 143
necrosis, 605
neutrophils, 2
NF-κB, 310
NF-κB: nuclear factors, oxidative stress, 219
NK receptor, 531
NKT cell, 386
NO, 471

oral
  priming, 550
  tolerance, 550

p19, 437
p28, 437
p41 invariant chain, 378
phage display, 237
phagocytosis, 2
phagosome, 345
phosphorylation, 165
pIgR, 583
pigs, 26
plasmacytoid dendritic cells, 26, 28
poly(I:C), 369
priming, 201
proliferation, 143
14-3-3 protein, 481
protein
  delivery, 117
  kinase C (PKC), 44
  kinases, 651
proteins: peptides, tethered ligands, VAV-1, 183

rafts, 386
receptor
  editing, 420
  revision, 420
receptors: G protein-coupled receptor, complement receptor, domains (intracellular), 590
recombinant viruses, 461
regulation of light chain rearrangement, 420
regulatory T cells (Treg), 38
reproductive immunology, 290

sepsis, 153
signal
  transducers: Stat6, 615
  transduction, 575, 651
signaling, 191
signalling, 44, 310, 575
  G proteins, receptors, 590
  calcium, PARs, tyrosine phosphorylation, 183
  signal transduction, 165
soluble antigens: negatively charged, ovalbumin, 211
surface expression, 597
systemic lupus erythematosus (SLE), 274

T cells, 38, 290, 550
  $CD4^+$, 136
  Jurkat cells, 183
  memory cells, Th2 cells, 274
T lymphocytes, 404
  costimulation, viral, 559
T7 phage, 237
targeted therapy, 228
T-cell
  deficiency, 481
  development, 191
  differentiation, 543
TGF-β1, 631
Th1, 489
Th2, 489
Th cell response, 624
Th1/Th2 cells, 352
thymus, 191, 543
thyroglobulin, 13
TLR, 428
TLR-9, 26
TLRs, 521
Toll-like receptor 2, 674
transcription factors: IκBα, NF-κB, signalling, 310
transferrin, 543
  receptor, 543
transforming growth factor-β, 597
transgenics: knockouts, 255
transplantation, 87
Treg cells, 352
TRP-2, 567
tuberculosis, 669
tumour immunity, 117
type I interferons, 369

UFD pathway, 567
uterus, 428

vaccination, 461
vaccine, 669
vaccines, 624
  DNA LAMP/Gag, prime/boost immunizations, 126
  hypervariable epitope constructs (HECs), immunization, 321
vaccinia virus, 583
virulent *Mycobacterium tuberculosis*, 661